



IMPORTANT: SEE DRAWING D-600-0051 FOR FRAMING REQUIREMENTS

**TNR INDUSTRIAL DOORS INC.**

**SHOP DRAWING, MODEL HDXL 9, LEFT HAND**

MECHANICAL OPTIONS	ELECTRICAL OPTIONS	STANDARD SYSTEM INCLUDES
<input type="checkbox"/> - *** GALV. DOOR HOODS	<input type="checkbox"/> - RELAY LOGIC CONTROLS	- SPEED AS SHOWN
<input type="checkbox"/> - 16" x 16" WINDOWS, QTY. _____	<input type="checkbox"/> - FUSED DISCONNECT	- NEMA 4, WALL MOUNTED CONTROL PANEL
<input type="checkbox"/> - BLUE EPDM CURTAIN	<input type="checkbox"/> - LOOP DETECTOR	- NEMA 4 LIMIT BOX ON OPERATOR
<input type="checkbox"/> - GRAY EPDM CURTAIN	<input type="checkbox"/> - WIRELESS RECEIVER (OCS)	- 50,000 CYCLE COUNTERBALANCE SPRINGS
<input type="checkbox"/> -	<input type="checkbox"/> - WIRELESS TRANSMITTER (OCS), QTY. _____	- REVERSING EDGE
<input type="checkbox"/> -	<input type="checkbox"/> - N 4X, PUSHBUTTON ST'N, QTY. _____	- THRU-BEAM PHOTOEYE
<input type="checkbox"/> -	<input type="checkbox"/> - MOTION DETECTOR, QTY. _____	- 5" HIGH, BLACK EPDM RUBBER LOOP
<input type="checkbox"/> -	<input type="checkbox"/> - ADD. THRU-BEAM PHOTOEYE, QTY. _____	- NEWGEN II GUIDE AND CURTAIN LOK SYSTEM
<input type="checkbox"/> -	<input type="checkbox"/> - ADD. REFLECTIVE PHOTOEYE, QTY. _____	- PROGRAMMABLE CONTROLLER
<input type="checkbox"/> -	<input type="checkbox"/> - CONSTANT PRESSURE CLOSE	- GUIDE GUARDS - 8 FT HIGH
<input type="checkbox"/> -	<input type="checkbox"/> -	- STATIONARY WINDBAR
<input type="checkbox"/> -	<input type="checkbox"/> -	-

EXT. DETAIL: DOOR MT. OPERATOR & C/BAL SPRINGS, 2 PC. IDLER	
LIMITATIONS: (25' 0" < OW <= 40' 0") & (25' 0" < OH <= 35' 0")	
DATE DR'N: DEC. 11, 2009	REVISION: A - JAN. 06, 2010
DRAWN BY: R.B.	DRAWING No.: D-600-0049
ELECTRICAL CRITERIA:	
CONTROL PANEL NEMA/EEMAC 4 STD. OR _____	
PRIMARY POWER SUPPLY: _____ Volts, 3 Phase, 60 Hertz	
OPERATOR CRITERIA: HG, HIGH EFFICIENCY HELICAL GEAR	
LIMIT BOX NEMA/EEMAC 4 STD. OR _____	
_____ HP, DOOR SPEED: OPEN & CLOSE @ _____ ips	
END USER:	
DEALER:	
DOOR SIZE:	SERIAL No.: